



Seal Kit

Cylinder

Product (Serial#)

BOG-DUAL /

#



Cylinder End Main Pivot Pin

Rod End Pin	Bushing (qty.)	Cylinder End Pin	Bushing (qty.)	Main Pivot Pin	Bushing (qty.)	
PIN.875X3.75	B1.125x.875x.500 (2)	<u>PIN.875X2S</u>	B1.125x.875x.750 (1)	PIN1X5.875 & PIN1X9.75	B1.25x1x1 (2)	
PIN.875X3.75	B1.125x.875x.500 (2)	<u>PIN.875X2S</u>	B1.125x.875x.750 (1)	PIN1X5.875 & PIN1X9.75	B1.25x1x1 (2)	
PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2S	B1.125x.875x.750 (1)	PIN1X5.875	B1.25x1x1 (2)	

11	FLG (41785+) GP (1-7422)	CYL2515080A CYL2015060 (Original)	SK2515080-AG SK2015060-NC	PIN1X5.4375 PIN.875X3.75	B1.25x1x.750 (2) B1.125x.875x.500	<u>PIN1X2.5SG</u> PIN.875X2SG	B1.25x1x.750 (1) B1.125x.875x.750	PIN1X6.375 PIN1X6.125	B1.25x1x1 (2) B1.25x1x1 (2)
10	FLG (7423-41784)	CYL2515080A	<u>SK2515080</u>	PIN1X5.4375	B1.25x1x.750 (2)	PIN1X2.5SG	B1.25x1x.750 (1)	PIN1X6.375	B1.25x1x1 (2)
9	FLG (1-7422)	CYL2515080A	<u>SK2517080</u> (was P0043)	PIN1X5.4375	B1.25x1x.750 (2)	PIN1X2.5SG	B1.25x1x.750 (1)	PIN1X6.375	B1.25x1x1 (2)
8	FBXH (41785+)	CYL2515080A	<u>SK2515080-AG</u>	PIN1X5.4375	B1.25x1x.750 (2)	PIN1X2.5SG	B1.25x1x.750 (1)	PIN1.5X8.75	B1.75x1.5x1.5 (2)
7	FBXH (1-41784)	<u>CYL2515080A</u>	<u>SK2515080</u>	PIN1X5.4375	B1.25x1x.750 (2)	PIN1X2.5SG	B1.25x1x.750 (1)	PIN1.5X8.75	B1.75x1.5x1.5 (2)
6	FBH (40653+)	CYL2012060	<u>SK2012060-AG</u>	PIN.875x5.375	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1.25x7.75	B1.5x1.25x1 (2)
5	FBH (1-40652)	CYL2012060	<u>SK2012060</u>	PIN.875x5.375	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1.25x7.75	B1.5x1.25x1 (2)
4	BOG-SINGLE (40653+)	CYL2012060	<u>SK2012060-AG</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2S	B1.125x.875x.750 (1)	PIN1X5.875	B1.25x1x1 (2)
3	BOG-SINGLE (1- 40652)	CYL2012060	<u>SK2012060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2S	B1.125x.875x.750 (1)	PIN1X5.875	B1.25x1x1 (2)
2	BOG-DUAL / DUALX / DUALXX (40653+)	<u>CYL2012060</u>	<u>SK2012060-AG</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2S	B1.125x.875x.750 (1)	PIN1X5.875 & PIN1X9.75	B1.25x1x1 (2)
1	DUALX / DUALXX (1-40652)	CYL2012060	<u>SK2012060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2S	B1.125x.875x.750 (1)	PIN1X5.875 & PIN1X9.75	B1.25x1x1 (2)

#	Product (Serial#)	Cylinder	Seal Kit	Rod End Pin	Bushing (qty.)	Cylinder End Pin	Bushing (qty.)	Main Pivot Pin	Bushing (qty.)
13	GP (7423-20137)	CYL2015060 (Original) CYL2012060 (Replacement)	<u>SK2015060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	<u>PIN1X6.125</u>	B1.25x1x1 (2)
14	GP (20138-40652)	CYL2012060	<u>SK2012060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1X6.125	B1.25x1x1 (2)
15	GP (40653+)	CYL2012060	<u>SK2012060-AG</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1X6.125	B1.25x1x1 (2)
16	GPL (1-40652)	CYL2012060	<u>SK2012060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.500 (1)	PIN1X6.125	B1.25x1x1 (2)
17	GPL (40653+)	CYL2012060	<u>SK2012060-AG</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.500 (1)	PIN1X6.125	B1.25x1x1 (2)
18	HD (1-7422)	<u>CYL2517080</u> ( <u>Original)</u> <u>CYL2515080A</u> (Replacement)	<u>SK2517080</u> (was P0043)	<u>PIN1X4.25</u>	B1.25x1x.750 (2)	<u>PIN1X6</u>	None	PIN1.25X6.25	B1.5x1.25x1 (2)
19	HD (7423 +)	CYL2515080	<u>SK2515080</u>	<u>PIN1X4.25</u>	B1.25x1x.750 (2)	<u>PIN1X6</u>	None	PIN1.25X6.25	B1.5x1.25x1 (2)
20	HDX (1-7422)	CYL2515080A	<u>SK2517080</u> (was P0043)	<u>PIN1X4.25</u>	B1.25x1x.750 (2)	<u>PIN1X6</u>	None	PIN1.25X6.25	B1.5x1.25x1 (2)
21	HDX (7423+)	CYL2515080	<u>SK2515080</u>	<u>PIN1X4.25</u>	B1.25x1x.750 (2)	<u>PIN1X6</u>	None	PIN1.25X6.25	B1.5x1.25x1 (2)
22	HG (1-41784)	CYL2515080A	<u>SK2515080</u>	<u>PIN1X4.5</u>	B1.25x1x.750 (2)	PIN1X2.5SG	None	None	None
23	HG (41785+)	CYL2515080A	<u>SK2515080-AG</u>	<u>PIN1X4.5</u>	B1.25x1x.750 (2)	PIN1X2.5SG	None	None	None
24	HGA/HGARR (1- 41784)	CYL2515080A	<u>SK2515080</u>	PIN1X4.5	B1.25x1x.750 (2)	PIN1X2.5SG	None	None	None
25	HGA/HGARR (41785+)	CYL2515080A	<u>SK2515080-AG</u>	PIN1X4.5	B1.25x1x.750 (2)	PIN1X2.5SG	None	None	None
26	HJ (1-7422)	CYL2515080A	<u>SK2517080</u> (was P0043)	<u>PIN1X4.25</u>	B1.25x1x1 (2)	<u>PIN1X6</u>	None	PIN1X5.875	B1.25x1x1 (2)
27	HJ (7423+)	CYL2515080	<u>SK2515080</u>	<u>PIN1X4.25</u>	B1.25x1x.750 (2)	<u>PIN1X6</u>	None	PIN1X5.875	B1.25x1x1 (2)
28	HJ2 (1-7422)	CYL2015060 (Original) CYL2012060 (Replacement)	SK2015060-NC (was P0034)	PIN.875X3.75	B1.125x.875x.500 (2)	<u>PIN.875X2S</u>	None	PIN1X5.4375	B1.25x1x1 (2)
29	HJ2 (20138-40652)	<u>CYL2012060</u>	<u>SK2012060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2S	None	PIN1X5.4375	B1.25x1x1 (2)
30	HJ2 (40653+)	<u>CYL2012060</u>	<u>SK2012060-AG</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2S	None	PIN1X5.4375	B1.25x1x1 (2)

#	Product (Serial#)	Cylinder	Seal Kit	Rod End Pin	Bushing (qty.)	Cylinder End Pin	Bushing (qty.)	Main Pivot Pin	Bushing (qty.)
31	HJ2 (7423-20137)	CYL2015060 (Original) CYL2012060 (Replacement)	<u>SK2015060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	<u>PIN.875X2S</u>	None	<u>PIN1X5.4375</u>	B1.25x1x1 (2)
32	HJ2L (7423-20137)	CYL2015060 (Original) CYL2012060 (Replacement)	<u>SK2015060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	<u>PIN.875X2S</u>	None	<u>PIN1X5.4375</u>	B1.25x1x1 (2)
33	HJ2L (20138 - 40652)	CYL2012060	<u>SK2012060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2S	None	PIN1X5.4375	B1.25x1x1 (2)
34	HJ2L (40653+)	CYL2012060	<u>SK2012060-AG</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2S	None	PIN1X5.4375	B1.25x1x1 (2)
35	HJHI	CYL3020075	<u>SK3020075</u>	PIN1X4.25T	B1.25x1x.750 (2)	PIN1X2.5S	B1.25x1x.750 (1)	PIN1.5X7.375	B1.7x1.5x1.5 (2)
36	HJLI (1-7422)	CYL2515080A	<u>SK2517080</u> (was P0043)	<u>PIN1X4.25</u>	B1.25x1x.750 (2)	<u>PIN1X6</u>	None	PIN1X5.875	B1.25x1x1 (2)
37	HJLI (7423+)	CYL2515080	<u>SK2515080</u>	PIN1X4.25	B1.25x1x.750 (2)	PIN1X6	None	PIN1X5.875	B1.25x1x1 (2)
38	MFWG (1-40652)	CYL2012060	<u>SK2012060</u>	PIN.875x5.375	B1.125x.875x.750 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1X5.875	B1.25x1x1.5 (2)
39	MFWG (40653+)	CYL2012060	SK2012060-AG	PIN.875x5.375	B1.125x.875x.750 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1X5.875	B1.25x1x1.5 (2)
40	OBG1 (1-40652)	CYL2012060	<u>SK2012060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1X6.375	B1.25x1x1 (2)
41	OBG1 (40653+)	CYL2012060	SK2012060-AG	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1X6.375	B1.25x1x1 (2)
42	OBG2 (1-40652)	CYL2012060	<u>SK2012060</u>	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1X6.375	B1.25x1x1 (2)
43	OBG2 (40653+)	CYL2012060	SK2012060-AG	PIN.875X3.75	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1X6.375	B1.25x1x1 (2)
44	RBG (1-7422)	CYL2515080	<u>SK2517080</u> (was P0043)	PIN1X5.4375	B1.25x1x.750 (2)	PIN1X2.5SG	B1.25x1x.750 (1)	PIN1X6.375	B1.25x1x1 (2)
45	RBG (41785+)	CYL2515080A	<u>SK2515080-AG</u>	PIN1X5.4375	B1.25x1x.750 (2)	PIN1X2.5SG	B1.25x1x.750 (1)	PIN1X6.375	B1.25x1x1 (2)
46	RBG (7423-41784)	CYL2515080A	<u>SK2515080</u>	PIN1X5.4375	B1.25x1x.750 (2)	PIN1X2.5SG	B1.25x1x.750 (1)	PIN1X6.375	B1.25x1x1 (2)
47	RBGD (41785+)	CYL2515080A	<u>SK2515080-AG</u>	PIN1X5.4375	B1.25x1x.750 (2)	<u>PIN1X2.5SG</u>	B1.25x1x.750 (1)	(Size Dependent) PIN1X6.375 (4) & PIN1X11.125 (1)	B1.25x1x1 (2)
48	RBGD (7423-41784)	<u>CYL2515080A</u>	<u>SK2515080</u>	<u>PIN1X5.4375</u>	B1.25x1x.750 (2)	<u>PIN1X2.5SG</u>	B1.25x1x.750 (1)	(Size Dependent) PIN1X6.375 (4) & PIN1X11.125 (1)	B1.25x1x1 (2)

#	Product (Serial#)	Cylinder	Seal Kit	Rod End Pin	Bushing (qty.)	Cylinder End Pin	Bushing (qty.)	Main Pivot Pin	Bushing (qty.)
49	RBG2 (20138- 40652)	CYL2012060	<u>SK2012060</u>	PIN.875X4.687 <u>5</u>	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.500 (1)	PIN1X5.4375	B1.25x1x1 (2)
50	RBG2 (40653+)	CYL2012060	<u>SK2012060-AG</u>	PIN.875X4.687 <u>5</u>	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.500 (1)	PIN1X5.4375	B1.25x1x1 (2)
51	RBG2 (7423-20137)	<u>CYL2015060</u> (Original) <u>CYL2012060</u> (Replacement)	<u>SK2015060</u>	PIN.875X4.687 <u>5</u>	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	<u>PIN1X5.4375</u>	B1.25x1x1 (2)
52	RBG3	CYL2012060	SK2012060-AG	<u>PIN.875X4</u>	B1.125x.875x.500 (2)	PIN.875X2SG	B1.125x.875x.750 (1)	PIN1X5.4375	B1.25x1x1 (2)
53	RBM (1-40652)	CYL2012060	<u>SK2012060</u>	PIN.875x3S	B1.125x.875x.72 (2)	PIN.875X2SG	B1.25x1x.750 (1)	PIN1x26	B1.125X.875x1 (4)
54	RBM (40653+)	CYL2012060	<u>SK2012060-AG</u>	PIN.875x3S	B1.125x.875x.72 (2)	PIN.875X2SG	B1.25x1x.750 (1)	PIN1x26	B1.125X.875x1 (4)
55	SR (7423-20137)	<u>CYL2015060</u> (Original) <u>CYL2012060</u> (Replacement)	<u>SK2015060</u>	PIN.875X4W	B1.125x.875x.500 (2)	<u>PIN.875X2S</u>	B1.125x.875x.500 (1)	PIN1X4.5W	None
56	SR (20138-40652)	CYL2012060	<u>SK2012060</u>	PIN.875X4W	B1.125x.875x.500 (2)	PIN.875X2S	B1.125x.875x.500 (1)	PIN1X4.5W	None
57	SR (40653+)	CYL2012060	<u>SK2012060-AG</u>	PIN.875X4W	B1.125x.875x.500 (2)	PIN.875X2S	B1.125x.875x.500 (1)	PIN1X4.5W	None
58	UJ	CYL3015097	<u>SK3015097</u>	<u>PIN1X4.5</u>	B1.25x1x.750 (2)	PIN1X6.875	None	PIN1.25X7.125	B1.5x1.25x1 (2)
59	UJX	CYL3015097	<u>SK3015097</u>	<u>PIN1X4.5</u>	B1.25x1x.750 (2)	PIN1X6.875	None	PIN1.25X7.125	B1.5x1.25x1 (2)
60	UJXLP	CYL3015097	<u>SK3015097</u>	<u>PIN1X4.5</u>	B1.25x1x.750 (2)	PIN1X6.875	None	PIN1.25X7.125	B1.5x1.25x1 (2)
61	UJ1 (1-41128)	CYL2712088	<u>SK2712088</u>	PIN1X4	B1.25x1x.750 (2)	PIN1X6.375	None	PIN1.25X6.5	B1.5x1.25x1 (2)
62	UJ1 (41129+)	CYL2712088	<u>SK2712088-AG</u>	PIN1X4	B1.25x1x.750 (2)	PIN1X6.375	None	PIN1.25X6.5	B1.5x1.25x1 (2)
63	UJ1X (1-41128)	CYL2712088	<u>SK2712088</u>	PIN1X4	B1.25x1x.750 (2)	PIN1X6.375	None	PIN1.25X6.5	B1.5x1.25x1 (2)
64	UJ1X (41129+)	CYL2712088	<u>SK2712088-AG</u>	PIN1X4	B1.25x1x.750 (2)	PIN1X6.375	None	PIN1.25X6.5	B1.5x1.25x1 (2)
65	UJ2 (1-40982)	CYL2512070	<u>SK2512070</u>	PIN1X4	B1.25x1x.750 (2)	PIN1X6.375	None	PIN1X6.125	B1.25x1x1 (2)
66	UJ2 (40983+)	<u>CYL2512070</u>	<u>SK2512070-AG</u>	PIN1X4	B1.25x1x.750 (2)	PIN1X6.375	None	PIN1X6.125	B1.25x1x1 (2)